

BRISK®




DOX 15LE-1



- new materials used
- longer life
- OEM technology
- better strats and engine performance
- New design
- more advantageous price

- 1 Insulator without ribs
- 2 Steel H.V. Terminal Nut
- 3 Cylindrical end of the insulator tip makes its fast heating after start possible
- 4 Protrusion of the metall shell optimizes the position of the spark gap in the combustion chamber
- 5 Metall shell surface treatment (Zinc-Nickel) increases several times the resistance against rough enviroment
- 6 Center electrode with coper core from the Yttrium aloy. Diameter reduction under the insulator tip end improves the spark plug performace at low engine loads
- 7 Ground electrode with increased diameter filled by coperis manufactured from Yttrium alloy. Reduction of temperature, better heat transfer and Yttrium features participate in longer spark plug change interval up to 60.000 km



WWW.BRISK.EU
BRISK®
CZECH REPUBLIC



BRISK Tábor a.s., Vožická 2068, 390 02 Tábor,
Tel.: +420 381 492 111, fax: +420 381 492 276,
e-mail: brisk@brisk.eu, www.brisk.eu



Ltr.

kW



AUDI					
A2 (8Z0)	2000 - 2005				
A2 FSI	1,6	81kW	BAD	4	05.02-08.05
A3 (8P1)	2002 -				
A3 TFSI	1,4	92kW	CAXC	4	09.07-
A3 FSI	2,0	110kW	AXW, BLR, BLX, BVY	4	05.03-
A3 FSI	2,0	110kW	BLY, BVZ, BMB	4	05.03-
A3 (8PA) Sportback	2004 -				
A3 TFSI Sportback	1,4	92kW	CAXC	4	09.07-
A3 FSI Sportback	2,0	110kW	BLR, BLX, BVY	4	09.04-
A3 FSI Sportback	2,0	110kW	BLY, BVZ, BMB	4	09.04-
A4 (8E., B6)	1999 - 2004				
A4 FSI, Avant	2,0	110kW	AWA	4	07.02-12.04
SEAT					
Alhambra (7V..)	1996 -				
Alhambra i 24V, 4-motion	2,8	150kW	AYL, AUE	6	06.00-
Altea (5P1)	2004 -				
Altea i 16V	1,4	63kW	BXW	4	01.07-
Altea TSI	1,4	92kW	CAXC	4	09.07-
Altea FSI	2,0	110kW	BLR, BLY, BVX, BVY, BVZ	4	05.04-
Altea XL (5P5)	2006 -				
Altea XL i 16V	1,4	63kW	BXW	4	10.06-
Altea XL TSI	1,4	92kW	CAXC	4	11.07-
Altea XL FSI	2,0	110kW	BVY, BVZ	4	10.06-
Arosa (6H)	1997 - 2004				
Arosa i	1,0	37kW	ANV, ALD, AUC	4	05.99-06.04
Arosa i	1,4	44kW	AKK, ANW, AUD	4	01.99-06.04
Cordoba II	1999 - 2002				
Cordoba i	1,0	37kW	ANV, ALD, AUC	4	05.99-10.02
Cordoba i	1,4	44kW	ANW, AKK, AUD	4	05.99-10.02
Cordoba III (6L2)	2002 -				
Cordoba i 12V	1,2	47kW	AZQ, BME	3	10.02-
Cordoba i 12V	1,2	51kW	BXV	3	05.06-
Cordoba i 16V	1,4	63kW	BXW	4	05.06-
Cordoba i 16V	1,6	77kW	BTS	4	11.06-
Cordoba Vario (6K5)	1996 -				
Cordoba Vario i	1,4	44kW	ANW, AKK, AUD	4	03.99-
Ibiza III (6K..)	1999 - 2002				
Ibiza i	1,0	37kW	AUC, ANV, ALD	4	08.99-02.02
Ibiza i	1,4	44kW	AKK, ANW, AUD	4	03.99-02.02
Ibiza IV (6L1)	2002 -				
Ibiza i	1,2	44kW	BBM	3	01.07-05.08
Ibiza i 12V	1,2	47kW	AZQ	3	02.02-
Ibiza i 12V	1,2	51kW	BXV	3	05.06-
Ibiza i 16V, Automatic	1,4	55kW	BBY (Automatic), BKY	4	02.02-
Ibiza i 16V	1,4	63kW	BXW	4	05.06-
Ibiza i 16V	1,6	77kW	BTS	4	11.06-
Ibiza V (6J..)	2008 -				
Ibiza i 12V	1,2	51kW	BZG	3	03.08-
Ibiza i 16V	1,4	63kW	BXW	4	03.08-
Ibiza i 12V Sport Coupe	1,2	51kW	BZG	3	07.08-
Ibiza i 16V Sport Coupe	1,4	63kW	BXW	4	07.08-
Inca	1995 -				
Inca i	1,4	44kW	AUD	4	09.00-
Leon I (1M1)	1998 -				
Leon i 20V VR5	2,3	125kW	AQN	5	09.00-12.03



Ltr.

kW



SEAT					
Leon I (1M1) 1998 -					
Leon i 24V	2,8	150kW	BDE	6	05.02-06.04
Leon i 24V Cupra 4	2,8	150kW	AUE	6	10.00-
Leon II (1P1) 2005 -					
Leon i 16V	1,4	55kW	BCA	4	09.05-
Leon i 16V	1,4	63kW	BXW	4	06.06-
Leon TSI	1,4	92kW	CAXC	4	11.07-
Leon FSI	2,0	110kW	BLR, BLY, BVY, BVZ	4	09.05-
Toledo II (1M2) 1999 - 2006					
Toledo i 20V	2,3	125kW	AQN	5	09.00-05.06
Toledo i 24V, 4x4	2,8	150kW	AUE, BDE	6	10.00-04.04
Toledo FSI	2,0	110kW	BLR, BLY, BVY, BVZ	4	10.04-

SKODA					
Fabia I (6Y..) 1999 - 2007					
Fabia i	1,0	37kW	AQV, ARV, ATY	4	12.99-08.02
Fabia i, Kombi	1,2	40kW	AWY	3	08.02-12.07
Fabia i, Kombi	1,2	40kW	BMD	3	08.02-12.07
Fabia i 12V	1,2	47kW	BME	3	01.03-12.07
Fabia i 12V, Kombi	1,2	47kW	AZQ	3	01.03-12.07
Fabia i, Kombi	1,4	44kW	AZF, AZE	4	01.00-03.03
Fabia i, Kombi	1,4	50kW	AME, AQW, ATZ	4	09.99-03.03
Fabia i 16V, Kombi	1,4	55kW	AUA	4	12.99-08.04
Fabia i 16V, Kombi	1,4	55kW	BKY	4	05.04-12.07
Fabia i 16V Automatic, Kombi	1,4	55kW	BBY	4	04.02-05.04
Fabia i 16V, Kombi	1,4	59kW	BUD	4	05.06-12.07
Fabia II 2007 -					
Fabia i, Kombi	1,2	44kW	BBM	3	01.07-
Fabia i 12V, Kombi	1,2	51kW	BZG, CEVA	3	01.07-
Fabia i 16V, Kombi	1,4	63kW	BXW	4	01.07-
Fabia i 16V, Kombi	1,6	77kW	BTS	4	04.07-
Favorit II 1993 - 1994					
Favorit 135, Forman 135	1,3	40-43kW	781.135E (SPI)	4	01.93-12.94
Favorit 135, Forman 135	1,3	50kW	781.136B (SPI)	4	01.93-12.94
Felicia I 1994 - 1998					
Felicia i, Kombi, Pick-Up	1,3	40-43kW	AMG (135B. SPI)	4	10.94-08.96
Felicia i, Kombi, Pick-Up	1,3	50kW	AMH (136B. SPI)	4	10.94-08.96
Felicia i, Kombi, Pick-Up	1,3	40kW	AMG (135B. MPI)	4	09.96-05.98
Felicia i, Kombi, Pick-Up	1,3	50kW	AMH (136B. MPI)	4	09.96-05.98
Felicia II 1998 - 2001					
Felicia i, Kombi, Pick-Up	1,3	40kW	AMG (135B. MPI)	4	01.98-08.01
Felicia i, Kombi, Pick-Up	1,3	50kW	AMH (136B. MPI)	4	01.98-08.01
Felicia i, Kombi	1,4	44-50kW	AMD (MPI)	4	01.99-08.01
Octavia I (Tour) 1996 -					
Octavia i	1,4	44kW	AMD (MPI)	4	02.99-03.01
Octavia i 16V Automatic, Kombi	1,4	55kW	AXP	4	08.00-01.02
Octavia i, Kombi	2,0	88kW	ATF	4	11.99-
Octavia II 2002 -					
Octavia i 16V, Kombi	1,4	59kW	BUD	4	06.04-
Octavia FSI, Kombi	1,6	85kW	BLF	4	05.04-
Octavia i	2,0	85kW	AZJ	4	03.02-01.06
Octavia FSI, Kombi, Kombi 4x4	2,0	110kW	BLR, BLY, BVX, BVY, BVZ	4	11.04-
Roomster 2006 -					
Roomster i 12V	1,2	47kW	BME	3	05.06-07.07
Roomster i 12V, Praktik, Scout	1,2	51kW	BZG	3	01.07-
Roomster i 16V, Praktik, Scout	1,4	63kW	BXW	4	05.06-



Ltr.

kW



SKODA					
Roomster	2006 -				
Roomster i 16V, Scout	1,6	77kW	BTS	4	05.06-
Roomster FSI, Scout	1,6	85kW	BLF	4	05.06-
Superb II	2008 -				
Superb TSI	1,4	92kW	CAXA	4	07.08-
VOLKSWAGEN					
Beetle NEW	1998 -				
Beetle i 16V, Cabrio	1,4	55kW	BCA	4	08.01-
Beetle i, Cabrio	2,0	85kW	AZJ, BDC, BGD	4	06.01-
Beetle i	2,0	85kW	AZG	4	08.00-07.03
Beetle i	2,0	85kW	BEJ, BER	4	01.03-
Beetle i 20V V5	2,3	125kW	AQN	5	10.00-
Beetle i 20V V5, Cabrio	2,5	110kW	BPR	5	07.05-
Beetle i 20V V5, Cabrio	2,5	110kW	BPS	5	07.05-
Beetle RSi	3,2	165kW	AXJ	6	10.00-
Bora	1998 - 2005				
Bora i 16V Automatic, Kombi	1,4	55kW	AXP	4	05.00-10.01
Bora i 16V, Kombi	1,4	55kW	BCA	4	10.01-05.05
Bora FSI, Kombi	1,6	81kW	BAD	4	08.01-05.05
Bora i, 4-motion, Kombi	2,0	85kW	AZJ	4	05.01-05.05
Bora i 20V V5, 4-motion, Kombi	2,3	125kW	AQN	5	09.00-05.05
Bora i VR6 24V 4-motion, Kombi	2,8	150kW	AQP, AUE, BDE	6	05.99-05.05
Caddy II	1995 - 2004				
Caddy i, Kombi	1,4	44kW	AUD	4	09.00-01.04
Caddy III	2004 -				
Caddy i 16V, Kombi	1,4	59kW	BUD	4	05.05-
Eos	2006 -				
Eos FSI	1,4	90kW	CAXA	4	10.08-
Eos FSI	1,4	118kW	CAVD	4	10.08-
Eos FSI	1,6	85kW	BLF	4	06.06-
Eos FSI	2,0	110kW	BVY	4	03.06-
Fox i	1,2	40kW	BMD	3	09.05-
Fox i 16V	1,4	55kW	BKR	4	09.05-
Golf IV	1997 - 2005				
Golf i 16V Automatic	1,4	55kW	AXP	4	07.97-05.05
Golf i 16V	1,4	55kW	BCA	4	10.01-06.05
Golf i	1,6	66kW	BKG	4	10.03-05.05
Golf FSI	1,6	81kW	BAD	4	08.01-06.05
Golf i, 4-motion	2,0	85kW	AZG, AZJ	4	05.01-05.03
Golf i Bi-Fuel	2,0	85kW	BEH	4	05.02-05.03
Golf i V5, 4-motion, Cabrio	2,3	125kW	AQN	5	04.00-06.05
Golf i VR6 4-motion	2,8	150kW	AQP, AUE, BDE	6	05.99-05.05
Golf V	2003 -				
Golf i 16V, Kombi, Plus	1,4	59kW	BUD, CGGA	4	05.06-
Golf FSI	1,4	66kW	BKG	4	10.03-
Golf FSI, Plus	1,4	66kW	BLN	4	11.04-
Golf TSI, Kombi, Plus	1,4	90kW	CAXA	4	05.07-
Golf TSI, Kombi, Plus	1,4	103kW	BMY	4	05.06-
Golf GT TSI Biturbo, Kombi, Plus	1,4	125kW	BLG	4	11.05-
Golf FSI	1,6	85kW	BAG	4	10.03-
Golf FSI, Plus	1,6	85kW	BLF	4	10.03-
Golf FSI	1,6	85kW	BLP	4	10.03-
Golf FSI, 4-motion, Plus	2,0	110kW	AXW	4	10.03-05.04
Golf FSI, 4-motion, Plus	2,0	110kW	BLR, BLY, BVY, BVZ	4	01.04-



Ltr.

kW



VOLKSWAGEN					
Golf VI	2008 -				
Golf i 16V	1,4	59kW	CGGA	4	10.08-
Golf TSI	1,4	90kW	CAXA	4	10.08-
Golf TSI	1,4	118kW	CAVD	4	10.08-
Jetta III NEW	2005 -				
Jetta TSI	1,4	90kW	CAXA	4	05.07-
Jetta TSI	1,4	103kW	BMY	4	07.06-
Jetta TSI	1,4	125kW	BLG	4	07.06-
Jetta FSI	2,0	110kW	BLR, BLY, BVY, BVZ	4	08.05-
Jetta FSI	2,5	110kW	BTK	5	01.06-
Lupo	1998 - 2005				
Lupo i	1,0	37kW	ALD, ANV, AUC	4	09.98-07.05
Lupo i	1,4	44kW	AUD	4	09.00-07.05
Lupo FSI	1,4	77kW	ARR	4	09.00-11.05
Multivan V	2003 -				
Multivan i 24V	3,2	170kW	BDL	6	05.03-06.04
Passat IV (3B3, 3B6)	2000 - 2005				
Passat i 20V, 4-motion, Variant	2,3	125kW	AZX	5	11.00-05.05
Passat V (3C3, 3C5)	2004 -				
Passat TSI, Variant	1,4	90kW	CAXA	4	05.07-
Passat FSI, Variant	1,6	85kW	BLF	4	03.05-
Passat FSI, 4-motion, Variant	2,0	110kW	BLR, BLY, BVX, BVY, BVZ	4	09.05-
Pointer / Gol	2005 -				
Pointer i, Gol i (RUS)	1,0		8V	4	01.05-
Polo III (6N...)	1994 - 2001				
Polo i	1,0	37kW	ALD, ANV, AUC	4	10.99-09.01
Polo i	1,4	44kW	AKK, AUD	4	10.99-09.01
Polo IV (9N...)	2001 -				
Polo i	1,2	40kW	AWY, BMD	3	01.02-
Polo i	1,2	40kW	BBM	3	05.07-
Polo i 12V	1,2	47kW	AZQ, BME	3	11.01-
Polo i 12V	1,2	51kW	BZG	3	05.07-
Polo i 16V Automatic	1,4	55kW	BBY, BCC	4	11.01-
Polo i 16V	1,4	55kW	BKY	4	11.01-
Polo i 16V	1,4	59kW	BUD	4	05.06-
Polo FSI	1,4	63kW	AXU	4	02.02-
Polo i 16V	1,6	77kW	BTS	4	05.06-
Polo Classic (6KV2)	1995 - 2001				
Polo i 60	1,4	44kW	AKK, ANW, AUD	4	05.95-09.01
Polo Variant (6KV5)	1997 - 2001				
Polo i	1,4	44kW	AKK, ANW, AUD	4	10.99-09.01
Scirocco III NEW	2008 -				
Scirocco TSI	1,4	90kW	CAXA	4	09.08-
Sharan (7M...)	1995 -				
Sharan i 24V, 4-motion	2,8	150kW	AYL	6	04.00-
Tiguan	2007 -				
Tiguan TSI, FWD	1,4	110kW	BWK	4	09.07-
Touran (1T...)	2003 -				
Touran TSI	1,4	103kW	BMY	4	02.06-
Touran TSI	1,4	125kW	BLG	4	11.06-
Touran FSI	1,6	85kW	BAG, BLP, BLF	4	02.03-
Touran FSI	2,0	110kW	AXW, BLR, BLX, BHD	4	10.03-
Transporter T4	1990 - 2003				
Transporter i 24V VR6	2,8	150kW	AXK, AMV	6	09.00-04.03
Transporter T5	2003 -				
Transporter i 24V	3,2	170kW	BDL	6	05.03-

SPARK PLUGS



BRISK Tábor a.s. ● Vozická 2068 ● 390 02 Tábor ● Czech Republic ● phone: +420 381 492 111 ● fax: +420 381 492 276 ● e-mail: brisk@brisk.eu ● www.brisk.eu

Range	Detail of function part and example of marking	Features	Application	Type of traffic	Service life	Advantages
SUPER	 L15YC, DR17YC...	<ul style="list-style-type: none"> One ground electrode Copper corad centre electrode or electrode made of special alloyed lithium with cooper 	<ul style="list-style-type: none"> Cars using both leaded and unleaded fuel 	<ul style="list-style-type: none"> City traffic Changing city and highway traffic 	<ul style="list-style-type: none"> 20 000 km - leaded fuel 30 000 km - unleaded fuel 45 000 km - A-line 	<ul style="list-style-type: none"> Allround applications - different types of traffic
EXTRA	 LR15TC, DR17LDC...	<ul style="list-style-type: none"> Two or three ground electrodes Copper corad centre electrode or electrode made of special alloyed with cooper 	<ul style="list-style-type: none"> Cars using unleaded fuel Cars with long service life of spark plugs 	<ul style="list-style-type: none"> City traffic Changing city and highway traffic 	<ul style="list-style-type: none"> 60 000 km 55 000 - 70 000 km - A-line 	<ul style="list-style-type: none"> Allround applications - different types of traffic Long service life
SILVER	 LR15YS, DR17YS-9...	<ul style="list-style-type: none"> One ground electrode Silver centre electrode Special spark gap shape 	<ul style="list-style-type: none"> LPG, CNG or LNG-fueled cars 	<ul style="list-style-type: none"> Normal traffic 	<ul style="list-style-type: none"> 20 000 km 	<ul style="list-style-type: none"> Better fuel ignition in combustion chamber
PLATIN	 DR15VPP, BR12VPP...	<ul style="list-style-type: none"> One ground electrode Platinum contact bonded on the one or both electrodes 	<ul style="list-style-type: none"> Vehicles with extreme long time period of spark plug change 	<ul style="list-style-type: none"> Heavy duty mode or all operating modes 	<ul style="list-style-type: none"> 90 000 km 100 000 km - A-line 	<ul style="list-style-type: none"> Extreme high lifetime Universal utilization for different driving modes
GARDEN	 JR19, P17Y, UR17...	<ul style="list-style-type: none"> One ground electrode Nickel center electrode or copper corad centre electrode or electrode made of special alloyed with cooper 	<ul style="list-style-type: none"> Engines for small farming machines (chainsaw, mowers...) 	<ul style="list-style-type: none"> Small or medium farming areas 	<ul style="list-style-type: none"> 150 engine-hours 	<ul style="list-style-type: none"> Better starts Resistant to vibrations Reliable function at idle speed as well as at maximum output
PREMIUM LGS	 DOR14LGS, ROR15LGS...	<ul style="list-style-type: none"> Ring-shaped spark gap Silver centre electrode 	<ul style="list-style-type: none"> Racing-tuning Unleaded fuel cars 	<ul style="list-style-type: none"> Current and dynamic operation Dynamic driving 	<ul style="list-style-type: none"> 30 000 km 	<ul style="list-style-type: none"> Elmproved dynamic engine parameters Higher engine performance Better acceleration
PREMIUM ZC/ZS	 DR14ZC, L10ZS...	<ul style="list-style-type: none"> No ground electrode Two auxiliary electrodes or insulator nose Cooper corad or silver centre electrode 	<ul style="list-style-type: none"> Racing-tuning Unleaded fuel cars 	<ul style="list-style-type: none"> Current and dynamic operation Dynamic driving 	<ul style="list-style-type: none"> 20 000 km 	<ul style="list-style-type: none"> Elmproved dynamic engine parameters Higher engine performance Better acceleration
SILVER RACING	 L10S, AR12YS...	<ul style="list-style-type: none"> One ground electrode Silver centre electrode Special spark gap shape 	<ul style="list-style-type: none"> Racing-tuning Unleaded fuel cars 	<ul style="list-style-type: none"> Current and dynamic operation Dynamic driving 	<ul style="list-style-type: none"> 50 engine-hours 	<ul style="list-style-type: none"> Elmproved dynamic engine parameters Higher engine performance Better acceleration
EXTRA TURBO RACING	 DOR10TS, DOR14DS...	<ul style="list-style-type: none"> Two or three special ground electrodes Silver centre electrode 	<ul style="list-style-type: none"> Racing-tuning Unleaded fuel cars 	<ul style="list-style-type: none"> Current and dynamic operation Dynamic driving 	<ul style="list-style-type: none"> 50 engine-hours 	<ul style="list-style-type: none"> Elmproved dynamic engine parameters Higher engine performance Better acceleration